




QUIZZES

Practice Test-1(Gases)



10 Questions



7 min

Topics

Properties of Gases, Boyle's law, Charles's law,
Avogadro's law

Start Quiz

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

06 : 57



1/10



7 min



Hint

Q : A curve drawn at constant temperature is called an isotherm. This shows relationship between



P and $1/V$



PV and V



P and V



V and $1/P$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 54



2/10



7 min



Hint

Q : The volume of given mass of gas is ____ to inverse of pressure



Inversely proportional



Directly proportional



Equal



Constant

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 52



3/10



7 min



Hint

Q : Volume of gas at 0°C and 1 atm pressure is 10dm^3 ,
volume of gas at 0.8atm will be

A

10dm^3

B

12.5dm^3

C

8dm^3

D

5dm^3

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 50



4/10



7 min



Hint

Q : Which is not equal to 1 atm

A

1.013 25 Bar

B

14.7 psi

C

1.01325 KPa

D

101325 Pa

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 48



5/10



7 min



Hint

Q : Gases are soluble in water at



Low temperature and high pressure



High temperature and high pressure



Low temperature and low pressure



High temperature and low pressure

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 46



6/10



7 min



Hint

Q : The molar volume of CO_2 gas is maximum at



273 k and 1 atm



127°C and 1 atm



0°C and 2 atm



273°C and 2 atm

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 44



7/10



7 min



Hint

Q : If volume of O_2 is 11.2dm^3 at STP, then the number of moles would be



2.0 moles



0.5 moles



1.0 moles



0.25 moles

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 42



8/10



7 min



Hint

Q : For a given mass with initial volume 'V', if pressure is reduced to one half and absolute temperature is increased two times. The volume will become

A

$2V^2$

B

$2V$

C

$4V$

D

$6V$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 40



9/10



7 min



Hint

Q : Pressure remaining constant at which temperature the volume of gas will become twice of what it is at 0°C



546 $^{\circ}\text{C}$



200 $^{\circ}\text{C}$



546 K



273 K

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 37



10/10



7 min



Hint

Q : The equation $V_t = V_o \left(1 + \frac{t}{273}\right)$ is based on

A

Celsius scale

B

Fahrenheit scale

C

Kelvin scale

D

Absolute scale

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

2

3

4

5

6

7

8


9

10



QUIZ RESULT

Practice Test-1(Gases)



10



7 min



05-Apr-2021



0 sec



0/10



0.0%

Result Detail

SAEED MDCAT

SAEED MDCAT TEAM




SAEEDMDCAT

Correct	0
Incorrect	0
Unattempted	10

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745



Chemistry

0%



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



1/10

Q : A curve drawn at constant temperature is called an isotherm. This shows relationship between

A

P and $1/V$

B

PV and V

C

P and V

D

V and $1/P$

Explanation

$$V \propto \frac{1}{P}$$

so, it provide an isothermal curve

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



2/10

Q : The volume of given mass of gas is ____ to inverse of pressure

A

Inversely proportional

B

Directly proportional

C

Equal

D

Constant

Explanation

$$V \propto \frac{1}{P}$$

$$\text{if } \frac{1}{P} = x \Rightarrow V \propto x$$

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



3/10

Q : Volume of gas at 0°C and 1 atm pressure is 10dm³,
volume of gas at 0.8atm will be



10dm³



12.5dm³



8dm³



5dm³

Explanation

$$P_1V_1 = P_2V_2$$
$$V_2 = \frac{P_1V_1}{P_2} = \frac{1 \times 10}{0.8} = 12.5$$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



4/10

Q : Which is not equal to 1 atm

A

1.013 25 Bar

B

14.7 psi

C

1.01325 KPa

D

101325 Pa

Explanation

1 atm 1.013 25 Bar = 14.7 psi = 101325 Pa = 760mmHg = 101.325Kpa

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



5/10

Q : Gases are soluble in water at

A

Low temperature and high pressure

B

High temperature and high pressure

C

Low temperature and low pressure

D

High temperature and low pressure

Explanation

gases are soluble in water at high temperature which increase the forces of attraction in gases so solubility increases.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



6/10

Q : The molar volume of CO_2 gas is maximum at



A 273 k and 1 atm



B 127°C and 1 atm



C 0°C and 2 atm



D 273°C and 2 atm

Explanation

Volume of gas is directly proportional to temperature,

127°C = 400K which is highest with lowest pressure

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



7/10

Q : If volume of O_2 is $11.2dm^3$ at STP, then the number of moles would be



2.0 moles



0.5 moles



1.0 moles



0.25 moles

Explanation

$$11.2dm^3 = 0.5mole$$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



8/10

Q : For a given mass with initial volume 'V', if pressure is reduced to one half and absolute temperature is increased two times. The volume will become

A

$2V^2$

B

$2V$

C

$4V$

D

$6V$

Explanation

$$V \propto \frac{1}{P}, V \propto T, \frac{P_1 V_1}{T_1} = \frac{P_2 V_2}{T_2}$$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



9/10

Q : Pressure remaining constant at which temperature the volume of gas will become twice of what it is at 0°C



546 $^{\circ}\text{C}$



200 $^{\circ}\text{C}$



546 K



273 K

Explanation

$0^{\circ}\text{C} = 273\text{K}$, by doubling the temperature, volume of gas became double,

$273\text{K} \rightarrow V,$

$546\text{K} \rightarrow 2V,$



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-1(Gases)



Correct



Unattempted



Incorrect



10/10

Q : The equation $V_t = V_o \left(1 + \frac{t}{273}\right)$ is based on

A

Celsius scale

B

Fahrenheit scale

C

Kelvin scale

D

Absolute scale

Explanation

If temperature is taken in Celsius scale we can use this equation.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

2

3

4

5

6

7

8


9

10



QUIZZES

Practice Test-2(Gases)



10 Questions



7 min

Topics

General gas equation, KMT of gases and interpretation of T

Start Quiz

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

06 : 58



1/10



7 min



Hint

Q : The units of 'R' depends upon



Pressure



Temperature



Volume



Both A and C

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 56



2/10



7 min



Hint

Q : A container contains 0.2 moles of H_2 , 0.3 moles of O_2 and 0.5 moles of N_2 . What is the total pressure exerted by mixture of gases if volume of container is 20 dm^3 , temperature is 25°C and $R = 0.0821 \text{ atm dm}^3 \text{ mol}^{-1} \text{ K}^{-1}$

A

22.4 atm

B

1.12 atm

C

11.2 atm

D

2.24 atm

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 54



3/10



7 min



Hint

Q : If temperature of 1 mole of gas is raised by 1K, then it would absorb _____ amount of energy



1.98J



0.0821 J



0.0821 dm³ atm



8.314 cal

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 52



4/10



7 min



Hint

Q : When the value of general gas constant 'R' is given as 8.314, the relevant units will be



A Cal , mol⁻¹ degree⁻¹



B dm³ . atm mol⁻¹ . k⁻¹



C J. mol⁻¹ . K⁻¹



D Ergs.mol⁻¹.degree⁻¹

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 50



5/10



7 min



Hint

Q : The root mean square velocity at STP for the gases H_2 , N_2 , O_2 and HBr are in the order



$H_2 < N_2 < O_2 < HBr$



$HBr < O_2 < N_2 < H_2$



$H_2 < N_2 < HBr < O_2$



$HBr < O_2 < H_2 < N_2$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 48



6/10



7 min



Hint

Q : The molecules of which gas has highest average kinetic energy at 25°C

A

CO_2

B

O_2

C

CH_4

D

All have same

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 47



Q 7/10

7 min

Hint

Q : A gas with lowest root mean square velocity at 300K. is

A SO_2

B SO_3

C Cl_2

D H_2

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 45



8/10



7 min



Hint

Q : All of the following are conclusions of the kinetic theory of gases except



Derivation of the Van der waal's equation



Derivation of Boyle's and Charle's law



Relation of average kinetic energy of gases to temperature



Graham`s law of diffusion

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 42



9/10



7 min



Hint

Q : 16g of each of CH_4 and He are in a container at 50°C .
The ratio of kinetic energy is



1:16



16:1



1:4



4:1

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 40



10/10



7 min



Hint

Q : In a closed vessel of 1000 cm^3 , H_2 gas is heated from 27°C to 127°C . Which statement is not correct

A

The rate of collision increases

B

The energy of gas molecules increases

C

Pressure of gas increases

D

The number of moles of gas increase

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

2

3

4

5

6

7

8


9

10



QUIZ RESULT

Practice Test-2(Gases)



10



7 min



05-Apr-2021



0 sec



0/10



0.0%

Result Detail

SAEED MDCAT

SAEED MDCAT TEAM




SAEEDMDCAT

Correct	0
Incorrect	0
Unattempted	10

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745



Chemistry

0%



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



1/10

Q : The units of 'R' depends upon

A

Pressure

B

Temperature

C

Volume

D

Both A and C

Explanation

The units of 'R' depends upon units of pressure and volume. By changing unit of P, V unit of R is changed.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



2/10

Q : A container contains 0.2 moles of H_2 , 0.3 moles of O_2 and 0.5 moles of N_2 . What is the total pressure exerted by mixture of gases if volume of container is 20 dm^3 , temperature is 25°C and $R = 0.0821 \text{ atm dm}^3 \text{ mol}^{-1} \text{ K}^{-1}$

A

22.4 atm

B

1.12 atm

C

11.2 atm

D

2.24 atm

Explanation

$$n = 0.2 + 0.3 + 0.5 = 1$$

$$P = 298\text{K} \approx 300$$

$$PV = nRT$$

$$P = \frac{nRT}{V} = \frac{1 \times 0.0821 \times 300}{20} = 1.12 \text{ atm}$$



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



3/10

Q : If temperature of 1 mole of gas is raised by 1K, then it would absorb _____ amount of energy

A

1.98J

B

0.0821 J

C

0.0821 dm³ atm

D

8.314 cal

Explanation

If temperature of 1 mole of gas is raised by 1K, then it would absorb 0.0821dm³ atm amount of energy

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



4/10

Q : When the value of general gas constant 'R' is given as 8.314, the relevant units will be

A

Cal , mol⁻¹ degree⁻¹

B

dm³ . atm mol⁻¹ . k⁻¹

C

J. mol⁻¹ . K⁻¹

D

Ergs.mol⁻¹.degree⁻¹

Explanation

$R=8.314\text{Jk}^{-1}\text{mol}^{-1}$ is the S.I units of "R"

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



5/10

Q : The root mean square velocity at STP for the gases H_2 , N_2 , O_2 and HBr are in the order



A $H_2 < N_2 < O_2 < HBr$



B $HBr < O_2 < N_2 < H_2$




C $H_2 < N_2 < HBr < O_2$



D $HBr < O_2 < H_2 < N_2$

Explanation



$$C_{rms} = \sqrt{\frac{3RT}{M}} \Rightarrow C_{rms} \propto \frac{1}{\sqrt{M}}$$

HBr = Polar

O_2 = 32g/mol

N_2 = 28g/mol

H_2 = 2.016g/mol

www.saeedmdcat.com

FB) SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



6/10

Q : The molecules of which gas has highest average kinetic energy at 25⁰C



CO₂



O₂



CH₄



All have same

Explanation

Average kinetic energy \propto Temperature

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



7/10

Q : A gas with lowest root mean square velocity at 300K. is

A

SO₂

B

SO₃

C

Cl₂

D

H₂

Explanation

$$C_{rms} \propto \frac{1}{\sqrt{M}}$$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



8/10

Q : All of the following are conclusions of the kinetic theory of gases except

A

Derivation of the Van der waal's equation

B

Derivation of Boyle's and Charle's law

C

Relation of average kinetic energy of gases to temperature

D

Graham`s law of diffusion

Explanation

Derivation of the Van der waal's equation is not conclusion of the kinetic theory of gases.

Van der Waal's equation for non-ideal gases cannot be derived from kinetic molecular theory but gas laws and temperature interpretation can be derived from KMT.



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



9/10

Q : 16g of each of CH_4 and He are in a container at 50°C .
The ratio of kinetic energy is

A

1:16

B

16:1

C

1:4

D

4:1

Explanation

$$\frac{(K.E)_1}{(K.E)_2} = \frac{M_{\text{He}}}{M_{\text{CH}_4}} = \frac{4}{16} = \frac{1}{4}$$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2(Gases)



Correct



Unattempted



Incorrect



10/10

Q : In a closed vessel of 1000 cm^3 , H_2 gas is heated from 27°C to 127°C . Which statement is not correct

A

The rate of collision increases

B

The energy of gas molecules increases

C

Pressure of gas increases

D

The number of moles of gas increase

Explanation

Number of moles are independent of temperature

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

2

3

4

5

6

7

8


9

10



QUIZZES

Practice Test-3(Gases)



10 Questions



7 min

Topics

Real and Ideal Gases (Van der Waals Eq)

Start Quiz

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

06 : 58



1/10



7 min



Hint

Q : Van der Waal's equation is reduced to general gas equation at



High temperature and low pressure



Low temperature and high pressure



High temperature and high pressure



Low temperature and low pressure

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 57



2/10



7 min



Hint

Q : Which of the following statement is correct according to the Vander Waal's equation

A

'a' and 'b' constant of both NH_3 and N_2 have greater value

B

'a' and 'b' constant of both NH_3 and N_2 have smaller value

C

'a' constant of NH_3 is greater than that of N_2 and b constant of NH_3 is less than that of N_2

D

'a' constant of NH_3 is smaller than that of N_2 and 'b' constant of NH_3 is more than that of N_2

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 52



3/10



7 min



Hint

Q : All of the following equations are expressions for the ideal gas law except



$PV = nRT$



$PV/T = \text{constant}$



$P_1V_1/T_1 = P_2V_2/T_2$



$(P + n^2a/V^2)(V-nb) = nRT$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 50



4/10



7 min



Hint

Q : Real gases show more deviation from ideal behaviour under which of the following conditions



At high temperature and low pressure



at low temperature and low pressure



at low temperature and high pressure



at high temperature and high pressure

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 49



5/10



7 min



Hint

Q : A gas that has highest value for vander waals coefficient of attraction



NH₃



CO₂



H₂



O₂

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 47



6/10



7 min



Hint

Q : In Vander Waal's equation, if the value of 'a' and 'b' are zero for a certain gas, then the gas is



Non ideal



Real



Ideal



Noble gas

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 45



7/10



7 min



Hint

Q : Neon gas has low critical temperature and pressure as compared to other noble gases except helium. The most probable reason is that



Its octet is complete



It has very low polarizability



It is mono atomic gas



It has no forces of attraction

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 43



8/10



7 min



Hint

Q : Effective volume of molecules per mole of a gas is____ times greater than actual volume of 1 mole of gas molecules.



2



3



4



5

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 42



9/10



7 min



Hint

Q : Which of the following shows strange behavior when subjected to gradual increase in pressure at 0°C

A

H_2

B

He

C

CO_2

D

all show same behavior

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 39




Q 10/10

7 min

Hint

In the following graph



Q : Which quantities are represented by X-axis and Y-axis

- A
- | X-axis | Y-axis |
|-------------|--------|
| Temperature | PV |
- B
- | X-axis | Y-axis |
|----------|----------|
| Pressure | PV/nRT |
- C
- | X-axis | Y-axis |
|--------|----------|
| Volume | PV/nRT |
- D
- | X-axis | Y-axis |
|-----------------|----------|
| Number of moles | PV/nRT |

SAEED MDCAT

SAEED MDCAT TEAM

f SAEEDMDCAT

www.saeedmdcat.com

FB) SAEED MDCAT

03418729745

2

3

4

5

6

7

8


9

10



QUIZ RESULT

Practice Test-3(Gases)



10



7 min



05-Apr-2021



0 sec



0/10



0.0%

Result Detail

SAEED MDCAT

SAEED MDCAT TEAM




SAEEDMDCAT

Correct	0
Incorrect	0
Unattempted	10

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745



Chemistry

0%



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



1/10

Q : Van der Waal's equation is reduced to general gas equation at

A

High temperature and low pressure

B

Low temperature and high pressure

C

High temperature and high pressure

D

Low temperature and low pressure

Explanation

At high temperature and low pressure forces in real gases become insignificant

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



2/10

Q : Which of the following statement is correct according to the Vander Waal's equation

A

'a' and 'b' constant of both NH_3 and N_2 have greater value

B

'a' and 'b' constant of both NH_3 and N_2 have smaller value

C

'a' constant of NH_3 is greater than that of N_2 and b constant of NH_3 is less than that of N_2

D

'a' constant of NH_3 is smaller than that of N_2 and 'b' constant of NH_3 is more than that of N_2

Explanation

'a' constant of NH_3 is greater than that of N_2 because NH_3 is polar while N_2 is non-polar and 'b' constant of NH_3 is less than that of N_2 because N_2 molecule is larger in size as compared to NH_3 is correct according to the Van der Waal's equation.

'a' = attractive forces constant

'b' = effective volume constant

NH_3 has greater intermolecular forces than N_2 and N_2 has little greater volume at closest approach in the gaseous state.

www.saeedmdcat.com

FB) SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



3/10

Q : All of the following equations are expressions for the ideal gas law except

A

$$PV = nRT$$

B

$$PV/T = \text{constant}$$

C

$$P_1V_1/T_1 = P_2V_2/T_2$$

D

$$(P + n^2a/V^2)(V-nb) = nRT$$

Explanation

$(P + n^2a/V^2)(V-nb) = nRT$ are not expressions for the ideal gas law. It's Van der Waal's equation for non-ideal gas $(P+n^2a/V^2)(V - nb) = nRT$.
Ideal or general gas equation

$PV = nRT$, $\frac{PV}{T} = \text{Constant}$ and $\frac{P_1V_1}{T_1} = \frac{P_2V_2}{T_2}$ are different forms of ideal or general gas equation.

www.saeedmdcat.com

FB) SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



4/10

Q : Real gases show more deviation from ideal behaviour under which of the following conditions

A

At high temperature and low pressure

B

at low temperature and low pressure

C

at low temperature and high pressure

D

at high temperature and high pressure

Explanation

Real gases deviate from ideal behavior at low temperature and high pressure.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



5/10

Q : A gas that has highest value for vander waals coefficient of attraction

A

NH_3

B

CO_2

C

H_2

D

O_2

Explanation

NH_3 being polar molecule it had highest coefficient of attraction

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



6/10

Q : In Vander Waal's equation, if the value of 'a' and 'b' are zero for a certain gas, then the gas is

A

Non ideal

B

Real

C

Ideal

D

Noble gas

Explanation

$$\left(P + \frac{an^2}{V^2}\right)(V - nb) = nRT$$
$$a \approx 0 \quad b \approx 0$$
$$PV = nRT$$



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



7/10

Q : Neon gas has low critical temperature and pressure as compared to other noble gases except helium. The most probable reason is that

A

Its octet is complete

B

It has very low polarizability

C

It is mono atomic gas

D

It has no forces of attraction

Explanation

Weak London dispersion forces are due to low polarizability.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



8/10

Q : Effective volume of molecules per mole of a gas is____ times greater than actual volume of 1 mole of gas molecules.

A

2

B

3

C

4

D

5

Explanation

$$b = 4V_m$$

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-3(Gases)



Correct



Unattempted



Incorrect



9/10

Q : Which of the following shows strange behavior when subjected to gradual increase in pressure at 0°C

A

H_2

B

He

C

CO_2

D

all show same behavior

Explanation

On increasing pressure, compressibility factor decreases then it keeps increasing



SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

Practice Test-3(Gases)


Correct

Unattempted

Incorrect

10/10

In the following graph



Q : Which quantities are represented by X-axis and Y-axis

A

X-axis
Temperature

Y-axis
PV

B

X-axis
Pressure

Y-axis
 PV/nRT

C

X-axis
Volume

Y-axis
 PV/nRT

D

X-axis
Number of moles

Y-axis
 PV/nRT

Explanation

Pressure taken on X-axis and $Z = PV / nRT$ at Y-axis



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

2

3

4

5

6

7

8

9

10